



Mohawk River: % Samples Achieving EPA Safe Swimming Guideline

Samples collected and processed by SUNY Cobleskill, SUNY Polytechnic and Riverkeeper. Results are based on 11-32 samples per site, collected from May-October, 2015-2019. EPA's recommended Beach Action Value (BAV) is a guideline for day-to-day beach management.



Mohawk River: % Samples Achieving EPA Safe Swimming Guideline

Samples collected and processed by SUNY Cobleskill, SUNY Polytechnic and Riverkeeper. Results are based on 11-32 samples per site, collected from May-October, 2015-2019. EPA's recommended Beach Action Value (BAV) is a guideline for day-to-day beach management.




■ % Beach Advisory (>60 cells/100 mL)

■ % Acceptable (0-60 cells/100 mL)


Mohawk River: Geometric Means of *Enterococcus* Counts

Samples collected and processed by SUNY Cobleskill, SUNY Polytechnic and Riverkeeper. Results are based on 11-32 samples per site, collected from May-October, 2015-2019. The geometric mean (geomean) is a weighted long-term average.



Mohawk River: Geometric Means of *Enterococcus* Counts

Samples collected and processed by SUNY Cobleskill, SUNY Polytechnic and Riverkeeper. Results are based on 11-32 samples per site, collected from May-October, 2015-2019. The geometric mean (geomean) is a weighted long-term average.



Mohawk River *Enterococcus* Monitoring Results Year-by-Year Comparison, 2015-2019

Samples collected and processed by SUNY Cobleskill, SUNY Poly, and Riverkeeper. Results are based on 102-285 samples per year collected from May-October. Sampling locations have changed slightly from year to year. The geometric mean (geomean) is a weighted long-term average. Wet weather is defined as greater than or equal to 0.25" of total rainfall on the day of sampling plus three prior days.

